

# RSC Communicable and Respiratory Disease Report for England

## **Key Statistics:**

Week Number/Year..... 50/2024

Week Starting - Ending...... 09/12/2024 - 15/12/2024

No. of Practices......1.736

Population...... 18,803,239

#### **National (England)**

- Acute Respiratory Infections: increased from 362.9 in week 49 to 376.8 in week 50.
- Influenza-like illness: increased from 8.5 in week 49 to 12.1 in week 50.
- Exacerbations of Chronic Lung Disease: increased from 25.9 in week 49 to 26.8 in week 50.
- Lower Respiratory Tract Infections: increased from 131.3 in week 49 to 136.4 in week 50.
- Upper Respiratory Tract Infections: increased from 218.9 in week 49 to 225.9 in week 50.
- COVID-19: decreased from 1.4 in week 49 to 1.2 in week 50.

## Regional (North, South, London and Midlands and East)

- Acute Respiratory Infections: increased from 285.5 in week 49 to 298.9 in week 50 in the London region, increased from 440.2 in week 49 to 463.0 in week 50 in the North region, increased from 330.0 in week 49 to 339.3 in week 50 in the South region, and increased from 388.0 in week 49 to 399.5 in week 50 in the Midlands And East region.
- Influenza-like illness: increased from 8.6 in week 49 to 11.2 in week 50 in the London region, increased from 10.1 in week 49 to 14.7 in week 50 in the North region, increased from 7.5 in week 49 to 10.8 in week 50 in the South region, and increased from 8.0 in week 49 to 12.1 in week 50 in the Midlands And East region.
- Exacerbations of Chronic Lung Disease: increased from 14.7 in week 49 to 16.4 in week 50 in the London region, increased from 36.1 in week 49 to 36.8 in week 50 in the North region, increased from 24.4 in week 49 to 25.7 in week 50 in the South region, and decreased from 26.5 in week 49 to 26.4 in week 50 in the Midlands And East region.
- Lower Respiratory Tract Infections: increased from 80.4 in week 49 to 82.5 in week 50 in the London region, increased from 169.2 in week 49 to 180.4 in week 50 in the North region, increased from 123.0 in week 49 to 127.3 in week 50 in the South region, and increased from 143.5 in week 49 to 146.2 in week 50 in the Midlands And East region.
  - **Upper Respiratory Tract Infections:** increased from **197.4** in week 49 to **207.0** in week 50 in the London region, increased from **251.7** in week 49 to **262.3** in week 50 in the North region, increased from **195.4** in week 49 to **198.9** in week 50 in the South region, and increased from **232.6** in week 49 to **238.8** in week 50 in the Midlands And East region.
- COVID-19: decreased from 1.1 in week 49 to 1.0 in week 50 in the London region, decreased from 1.5 in week 49 to 1.1 in week 50 in the North region, decreased from 1.7 in week 49 to 1.4 in week 50 in the South region, and was unchanged at 1.1 in week 49 and 1.1 in week 50 in the Midlands And East region.

## **Comment:**

Overall rates of acute respiratory infections (ARI) have increased in all regions, but are at or below the seasonal average (page 6). ARI rates in children under 5 years are decreasing compared to other age groups, where the rate is still increasing. Rates of influenza-like illness (ILI) have also increased in all regions and all age groups, but remain at or below the seasonal average (pages 2 and 3), while overall rates of COVID-19 have decreased slightly across all regions and ages (page 5).

Exacerbations of chronic lung disease (ECLD) remain above the seasonal average (page 7). Rates of scabies (page 15) also remain above the seasonal average.

This report includes a respiratory virology update. RSV, influenza A (H1N1), and SARS-CoV-2 are the predominant circulating viruses detected by the UK Health Security Agency (UKHSA) Reference Virology Lab. Rates presented in this report are the number of new cases per 100,000 people by condition and region, with age-band also reported for acute respiratory infections (pages 3 to 11).


## 2024 Focus

Please see page 19 for explanatory notes on the data.


## (A) Influenza-like illness: national incidence rate 2024 by region



### (B) RCGP/UKHSA Influenza Virology Swab Surveillance 2024




## (C) RCGP/UKHSA RSV, Influenza and SARS-CoV-2 Virology Swab Surveillance 2024 by viral strain



The weekly virology samples displayed are offset from the ISO Week (Graph C). \*No specified subtype, or coinfection with H1N1 and H3N2.

### (D) Influenza-like illness: national incidence rate 2024 by age band



#### (E) Influenza-like illness: national incidence rate 2024 by age band

This table shows the level of intensity of ILI by age band. MEM thresholds have been calculated separately for each age band - the ranges are shown in the table Threshold levels by age band.

| Table 1           | 17        | 18            | 19            | 20               | 21            | 22            | 23            | 24               | 25               | 26               | 27            | 28               | 29            | 30             | 31                | 32             | 33  | 34  |
|-------------------|-----------|---------------|---------------|------------------|---------------|---------------|---------------|------------------|------------------|------------------|---------------|------------------|---------------|----------------|-------------------|----------------|-----|-----|
| 1-4yrs            | 0.9       | 0.9           | 1.0           | 0.8              | 1.4           | 1.5           | 1.4           | 1.5              | 1.5              | 1.0              | 1.0           | 1.6              | 1.0           | 1.3            | 0.9               | 0.1            | 0.9 | 0.6 |
| 5-14yrs           | 1.6       | 2.0           | 1.7           | 1.2              | 1.1           | 0.4           | 1.1           | 1.2              | 1.0              | 1.0              | 0.6           | 0.9              | 8.0           | 0.4            | 0.3               | 0.3            | 0.2 | 0.4 |
| 15-64yrs          | 3.5       | 3.3           | 2.1           | 2.8              | 2.1           | 1.9           | 2.2           | 2.6              | 2.3              | 1.9              | 1.8           | 2.3              | 2.1           | 2.3            | 1.7               | 1.3            | 1.2 | 1.2 |
| 65+yrs            | 2.1       | 2.3           | 8.0           | 1.7              | 1.2           | 1.3           | 1.3           | 1.4              | 1.5              | 1.0              | 1.6           | 2.2              | 2.1           | 2.1            | 1.4               | 1.0            | 1.0 | 1.0 |
| All ages          | 2.9       | 2.8           | 1.7           | 2.3              | 1.8           | 1.6           | 1.9           | 2.2              | 2.0              | 1.6              | 1.6           | 2.0              | 1.9           | 2.0            | 1.5               | 1.1            | 1.0 | 1.1 |
|                   |           |               |               |                  |               |               |               |                  |                  |                  |               |                  |               |                |                   |                |     |     |
|                   | 35        | 36            | 37            | 38               | 39            | 40            | 41            | 42               | 43               | 44               | 45            | 46               | 47            | 48             | 49                | 50             | 51  | 52  |
| 1-4yrs            | <b>35</b> | <b>36</b> 0.7 | <b>37</b> 0.9 | <b>38</b><br>3.0 | <b>39</b> 2.1 | <b>40</b> 2.2 | <b>41</b> 2.6 | <b>42</b><br>4.2 | <b>43</b><br>4.3 | <b>44</b><br>4.0 | <b>45</b> 1.9 | <b>46</b><br>4.7 | <b>47</b> 6.6 | <b>48</b> 11.0 | <b>49</b><br>11.1 | <b>50</b> 18.9 | 51  | 52  |
| 1-4yrs<br>5-14yrs | -         |               |               |                  |               |               |               |                  |                  |                  |               |                  |               |                |                   |                | 51  | 52  |
| •                 | 0.6       | 0.7           | 0.9           | 3.0              | 2.1           | 2.2           | 2.6           | 4.2              | 4.3              | 4.0              | 1.9           | 4.7              | 6.6           | 11.0           | 11.1              | 18.9           | 51  | 52  |
| 5-14yrs           | 0.6       | 0.7           | 0.9           | 3.0<br>1.2       | 2.1<br>1.8    | 2.2           | 2.6<br>1.5    | 4.2<br>1.7       | 4.3<br>2.0       | 4.0              | 1.9<br>1.9    | 4.7<br>2.9       | 6.6<br>3.4    | 11.0           | 11.1<br>6.8       | 18.9           | 51  | 52  |

|          | Below     | Threshold to                     | Medium to         | High to        | Above      |    |
|----------|-----------|----------------------------------|-------------------|----------------|------------|----|
| Table 2  | Threshold | <sup>1</sup> Medium <sup>2</sup> | High <sup>3</sup> | Very High⁴     | Very High⁵ | ı  |
| 1-4yrs   | <8.05     | 8.05 to 15.57                    | 15.58 to 23.50    | 23.51 to 28.19 | 28.20+     | 7  |
| 5-14yrs  | <6.53     | 6.53 to 15.55                    | 15.56 to 32.18    | 32.19 to 44.39 | 44.40+     |    |
| 15-64yrs | <12.23    | 12.23 to 24.53                   | 24.54 to 45.08    | 45.09 to 58.99 | 59.00+     |    |
| 65+yrs   | <9.62     | 9.62 to 16.69                    | 16.70 to 35.98    | 35.99 to 50.52 | 50.53+     |    |
| All Ages | <10.25    | 10.25 to 21.69                   | 21.70 to 38.77    | 38.78 to 50.11 | 50.12+     | Τ. |

Threshold levels

<sup>1</sup>Below baseline threshold


<sup>2</sup>baseline threshold breach to < 40th percentile

<sup>3</sup>40th to <90th percentile

490th to <97.5th percentile

597.5th+ percentile


### (F) Acute Bronchitis and Bronchiolitis: national incidence rate 2024 by age band




### Weekly Influenza-like illness and Acute Bronchitis and Bronchiolitis incidence rates per 100,000 persons

|          | Influenza-like illness | Acute Bronchitis and Bronchiolitis |                        | Influenza-like illness   | Acute Bronchitis and<br>Bronchiolitis |
|----------|------------------------|------------------------------------|------------------------|--------------------------|---------------------------------------|
| <1yr     | 19.4                   | 511.7                              | London                 | 11.2                     | 6.6                                   |
| 1-4yrs   | 18.9                   | 40.6                               | North                  | 14.7                     | 9.6                                   |
| 5-14yrs  | 9.2                    | 1.5                                | South                  | 10.8                     | 9.1                                   |
| 15-24yrs | 10.7                   | 1.1                                | Midlands And East      | 12.1                     | 8.5                                   |
| 25-44yrs | 14.6                   | 2.5                                | National               | 12.1                     | 8.6                                   |
| 45-64yrs | 12.6                   | 4.2                                |                        |                          |                                       |
| 65-74yrs | 8.5                    | 4.8                                |                        |                          |                                       |
| 75-84yrs | 7.6                    | 5.4                                |                        |                          |                                       |
| 85+yrs   | 10.8                   | 4.4                                |                        |                          |                                       |
| All ages | 12.1                   | 8.6                                | **The <1yr age band is | not presented (Graph F). |                                       |

## (G) COVID-19: national incidence rate 2024 by region



## (H) COVID-19: national incidence rate 2024 by age band




# 1. Respiratory Infections


## (I) Acute Respiratory Infections (ARI): national incidence rate 2024 by region




## (J) Acute Respiratory Infections (ARI): national incidence rate 2024 by age band




Page 6 of 20 - RCGP Research & Surveillance Centre Weekly Returns Service




Page 7 of 20 - RCGP Research & Surveillance Centre Weekly Returns Service




Page 8 of 20 - RCGP Research & Surveillance Centre Weekly Returns Service




Page 9 of 20 - RCGP Research & Surveillance Centre Weekly Returns Service




Page 10 of 20 - RCGP Research & Surveillance Centre Weekly Returns Service




#### 2. Water & Food Borne Disorders 5yr Avg National North London South Midlands And East Infectious Intestinal Disease (ICD10: A00-A09) Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average Infectious Intestinal Disease (ICD10: A00-A09) Weekly incidence (per 100,000 0-4 years) by region for 2024 compared with 5 year average 20 100 80 15 60 10 40 5 20 0 47 15 19 27 15 19 Non-Infective Enteritis & Colitis (ICD10: K50-K52) Viral Hepatitis (ICD10: B15-B19) Weekly incidence (per 100,000 all ages) by region Weekly incidence (per 100,000 all ages) by region



## 3. Environmentally Sensitive Disorders








## 4. Vaccine Sensitive Disorders 5yr Avg National North London South Midlands And East Measles (ICD10: B05) Mumps (ICD10: B26) Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average 1.0 0.5 0.8 0.4 0.6 0.3 0.4 0.2 0.1 0.0 0.0 Whooping Cough (ICD10: A37) Weekly incidence (per 100,000 all ages) by region Rubella (ICD10: B06) Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average for 2024 compared with 5 year average 0.08 0.06 0.04 0.02 15 19 27 31 35 43 51 5. Skin Contagions **Bullous Dermatoses (ICD10: L10-L14)** Chickenpox (ICD10: B01) Weekly incidence (per 100,000 all ages) by region Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average for 2024 compared with 5 year average 1.0 10 0.6 7.5 0.4 47 51

Page 14 of 20 - RCGP Research & Surveillance Centre Weekly Returns Service


#### 5. Skin Contagions (Continued) 5yr Avg National North London South Midlands And East Herpes Simplex (ICD10: B00) Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average Herpes Zoster (ICD10: B02) Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average 12.5 7.5 2.5 Infections of Skin & Subcutaneous Tissue (ICD10: L00-L08) Scabies (ICD10: B86) Weekly incidence (per 100,000 all ages) by region Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average for 2024 compared with 5 year average Symptoms involving Skin & Oth Integument Tiss (ICD10: R20-R23) Weekly incidence (per 100,000 all ages) by region Impetigo (ICD10: L01) Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average for 2024 compared with 5 year average 12.5 7.5

Page 15 of 20 - RCGP Research & Surveillance Centre Weekly Returns Service

# 6. Disorders Affecting the Nervous System




Symptoms Involving Nervous & Musculoskeletal (ICD10: R25-R29)
Weekly incidence (per 100,000 all ages) by region
for 2024 compared with 5 year average




# 7. Genitourinary System Disorders

Urinary Tract Infection/Cystitis (ICD10: N30,N390) Weekly incidence (per 100,000 all ages) by region for 2024 compared with 5 year average



# 8. Other Disorders



# 8. Tabular Summary by Disease

| Week beginning<br>Week ending                  |       | 09/12/2024<br>15/12/2024 |       | 02/12/2024<br>08/12/2024 |       | 25/11/2024<br>01/12/2024 |       | 18/11/2024<br>24/11/2024 |
|--|-------|--------------------------|-------|--------------------------|-------|--------------------------|-------|--------------------------|
| Disease Name                                   | Rate  | Numer                    | Rate  | Numer                    | Rate  | Numer                    | Rate  | Numer                    |
| Acute Bronchitis                               | 3.1   | 582                      | 3.0   | 553                      | 2.5   | 461                      | 2.6   | 475                      |
| Acute respiratory infections (ARI)             | 376.8 | 70,852                   | 362.9 | 67,343                   | 347.5 | 63,421                   | 323.2 | 58,113                   |
| Allergic Rhinitis                              | 5.1   | 962                      | 5.4   | 999                      | 5.5   | 1,012                    | 6.1   | 1,090                    |
| Asthma   | 11.7  | 2,192                    | 11.9  | 2,217                    | 11.8  | 2,152                    | 11.5  | 2,070                    |
| Bronchiolitis                                  | 5.5   | 1,043                    | 6.2   | 1,142                    | 6.5   | 1,195                    | 6.7   | 1,201                    |
| Bullous Dermatoses                             | 0.2   | 43                       | 0.2   | 30                       | 0.2   | 45                       | 0.1   | 21                       |
| Chickenpox                                     | 2.7   | 514                      | 2.6   | 484                      | 2.9   | 535                      | 2.5   | 452                      |
| Conjunctival Disorders                         | 14.5  | 2,735                    | 14.2  | 2,631                    | 13.3  | 2,429                    | 13.1  | 2,359                    |
| COVID-19                                       | 1.2   | 223                      | 1.4   | 257                      | 1.3   | 234                      | 1.6   | 296                      |
| Croup  | 3.3   | 625                      | 3.3   | 616                      | 3.9   | 712                      | 4.3   | 781                      |
| ECLD - Asthma exacerbations                    | 18.4  | 3,452                    | 17.7  | 3,283                    | 17.0  | 3,103                    | 16.0  | 2,873                    |
| ECLD - COPD exacerbations                      | 8.7   | 1,630                    | 8.5   | 1,571                    | 8.5   | 1,560                    | 8.1   | 1,457                    |
| Exacerbations of chronic lung disease          | 26.8  | 5,042                    | 25.9  | 4,808                    | 25.3  | 4,614                    | 23.8  | 4,282                    |
| Herpes Simplex                                 | 2.7   | 506                      | 2.9   | 539                      | 3.4   | 623                      | 3.0   | 535                      |
| Herpes Zoster                                  | 4.5   | 838                      | 4.6   | 861                      | 4.5   | 823                      | 4.9   | 879                      |
| Impetigo                                       | 3.7   | 692                      | 3.8   | 705                      | 4.0   | 727                      | 4.1   | 736                      |
| Infectious Intestinal Diseases                 | 7.7   | 1,443                    | 7.6   | 1,406                    | 7.4   | 1,345                    | 7.5   | 1,340                    |
| Infectious Mononucleosis                       | 0.3   | 65                       | 0.3   | 52                       | 0.3   | 56                       | 0.3   | 59                       |
| Influenza-like illness                         | 12.1  | 2,282                    | 8.5   | 1,569                    | 6.0   | 1,102                    | 4.5   | 801                      |
| Laryngitis                                     | 1.5   | 281                      | 1.4   | 265                      | 1.2   | 222                      | 1.2   | 219                      |
| Lower respiratory tract infections             | 136.4 | 25,648                   | 131.3 | 24,360                   | 124.7 | 22,765                   | 119.1 | 21,409                   |
| Measles  | 0.1   | 15                       | 0.1   | 11                       | 0.1   | 18                       | 0.1   | 10                       |
| Meningitis and Encephalitis                    | 0.1   | 24                       | 0.1   | 23                       | 0.1   | 24                       | 0.1   | 23                       |
| Mumps  | 0.0   | 9                        | 0.0   | 9                        | 0.1   | 12                       | 0.1   | 17                       |
| Non-infective Enteritis and Colitis            | 2.3   | 438                      | 2.7   | 509                      | 2.9   | 524                      | 2.4   | 435                      |
| Otitis Media                                   | 30.2  | 5,686                    | 29.8  | 5,536                    | 28.7  | 5,242                    | 25.1  | 4,508                    |
| Peripheral Nervous Disease                     | 17.2  | 3,231                    | 17.7  | 3,288                    | 17.3  | 3,152                    | 17.5  | 3,149                    |
| Pneumonia                                      | 4.0   | 759                      | 4.1   | 760                      | 4.0   | 722                      | 4.1   | 738                      |
| Rubella  | 0.0   | 1                        | 0.0   | 1                        | 0.0   | 0                        | 0.0   | 1                        |
| Scabies  | 3.4   | 637                      | 3.0   | 549                      | 3.2   | 592                      | 3.2   | 580                      |
| Sinusitis                                      | 22.2  | 4,176                    | 21.6  | 4,003                    | 20.5  | 3,734                    | 18.3  | 3,283                    |
| Skin and Subcutaneous Tissue Infections        | 72.5  | 13,626                   | 75.6  | 14,020                   | 77.5  | 14,140                   | 78.8  | 14,173                   |
| Strep Throat and Peritonsillar Abscess         | 1.7   | 326                      | 1.5   | 281                      | 1.3   | 243                      | 1.6   | 288                      |
| Symptoms involving musculoskeletal             | 14.9  | 2,799                    | 14.9  | 2,762                    | 15.3  | 2,789                    | 14.8  | 2,665                    |
| Symptoms involving Skin and Integument Tissues | 104.4 | 19,625                   | 108.4 | 20,116                   | 112.4 | 20,508                   | 112.8 | 20,277                   |
| Tonsillitis/Pharyngitis                        | 38.4  | 7,225                    | 37.4  | 6,943                    | 36.6  | 6,673                    | 33.6  | 6,048                    |
| Upper respiratory tract infections             | 225.9 | 42,470                   | 218.9 | 40,609                   | 212.2 | 38,734                   | 195.3 | 35,106                   |
| Urinary Tract Infections                       | 25.8  | 4,850                    | 25.5  | 4,726                    | 25.5  | 4,648                    | 25.9  | 4,664                    |
| Viral Hepatitis                                | 0.2   | 47                       | 0.2   | 40                       | 0.3   | 56                       | 0.2   | 37                       |
| Whooping Cough                                 | 0.2   | 43                       | 0.2   | 32                       | 0.2   | 31                       | 0.2   | 30                       |
| Practice Count                                 |       | 1,736                    |       | 1,716                    |       | 1,707                    |       | 1,703                    |
| Denom  | 1     | 8,803,239                | 1     | 8,554,913                | 1     | 8,250,883                | 1     | 7,977,997                |

## **FURTHER INFORMATION:**

#### About the report

#### **Focus**

The first two pages of data within this report focus on influenza-like illness and virology data, in order to provide information about seasonal influenza and early warnings of any epidemic.

#### Rate calculation

Each weekly incidence rate is presented per 100,000 population. All presentations are for males and females, and for all age bands, unless otherwise stated.

The denominator used for this report is taken from our most recent extract of data from GP practice systems, and includes all patients currently registered with eligible practices. The denominator varies week-on-week as patients register and deregister; it may also be the case that all patients from an individual practice are excluded because of problems with the data extraction from that practice in a specific week. As stated above, patients who have withheld consent for data-sharing are excluded.

In addition to the national rate, we present data for the four NHS England regions: North; Midlands and East; South; and London.

#### Five-year averages

Weekly rates are set against a five-year average (navy blue lines), previously we reported against a ten-year average. The change to a five-year average was made because longer-term trends in the incidence of disease have led to weekly rates for certain diseases becoming increasingly divergent from their ten-year average. The use of five-year averages lessens this effect and enables more meaningful comparison.

#### Threshold calculation for influenza-like illness (ILI)

We are now using the Moving Epidemic Method (MEM) to calculate threshold and intensity levels for influenza-like illness (Graph A, page 2 and Table E, page 4 of this report). MEM works by identifying seasonal epidemic peaks and then calculates thresholds and intensity levels based on the pre and post epidemic values. This allows us to report the severity of ILI against multiple thresholds, rather than a simple comparison with the five-year average as the wide variation in ILI year on year, especially during the seasonal peak, makes the average less representative.

In addition to the All Ages thresholds, we have also calculated thresholds for four age bands: those aged 1-4, 5-14, 15-64 and those aged 65 and over. ILI incidence rates vary among different age bands, and the age-specific thresholds allow us to highlight epidemics where ILI disproportionately affects a particular age band.

This methodology is used by the European Centre for Disease Prevention and Control to standardise reporting of influenza activity across Europe, and is also in use by the UK Health Security Agency. Full details of the methodology can be found in: Vega *et al.* (2012) Influenza surveillance in Europe: establishing epidemic thresholds by the moving epidemic method. Influenza and Other Respiratory Viruses 7(4), 546–558.

Both the *all-ages* thresholds and the *age-specific* thresholds are shown in Table E, page 4. Five years of data were used for *all-ages* and *age-specific* thresholds calculation (winter seasons 2015/16, 2016/17, 2017/18, 2018/19 and 2022/23, excluding 2019/20, 2020/21 and 2021/22).

### About the Royal College of General Practitioners (RCGP) Research and Surveillance Centre (RSC)

#### Acknowledgement:

Staff from the Data Science department at the National Physical Laboratory (<a href="https://www.npl.co.uk/data-science">https://www.npl.co.uk/data-science</a>) assisted in the provision of and extension of the primary care national surveillance reports during the 2020 SARS-CoV-2 pandemic; as well as adding resilience

#### What we do

The RCGP RSC was established in 1957, with the current name in use since 2009. The Centre is an internationally renowned source of information, analysis and interpretation concerning the onset, patterns, prevalence and trends over time of morbidity in primary care. The RSC is an active research and surveillance unit that collects and monitors data; its most important research is the surveillance of influenza and the monitoring of vaccine effectiveness.

The RSC data and analytics hub is housed at the Oxford-Royal College of General Practioners Research and Surveillance Centre.

Further information about the RSC can be found on our website:

http://www.rcgp.org.uk/rsc

#### Our data extraction process and information governance

Data are extracted twice weekly from practice systems by Magentus data management and EMIS-X Analytics (EXA) on the RCGP's behalf. Patients who have withheld consent for data sharing are excluded from the extraction process.

Data are pseudonymised as close to source as possible. Data are held on secure servers at the RCGP data and analytics hub at the Oxford-Royal College of General Practitioners Research and Surveillance Centre. Both Magentus data management and the University of Oxford are Registered and compliant with the Data Protection Act and fully compliant with all relevant NHS Digital data information governance best practice.

#### What the data is used for

The RCGP RSC has been providing reports weekly about health and disease, called the Weekly Returns Service (WRS) since 1964. The WRS monitors the number of patients consulting with new episodes of illness classified by diagnosis in England and provides weekly incidence rates per 100,000 population for these new episodes of illness. It is the key primary care element of the national disease monitoring systems run by the UK Health Security Agency. The bulletin can be found at the following URL:

https://www.gov.uk/government/collections/syndromic-surveillance-systems-and-analyses

In addition to the WRS, the data is used for other research studies. Any other uses of the data for research follow ethical approval or agreement from NIHR proportionate review, and where relevant Health Research Authority Confidential Advisory Group advice that further approval is not needed. Full details can be found on our website:

http://www.rcgp.org.uk/rsc

#### For further information

For further information about the work of the RSC, or if you would like to be included on our email notification list, please contact:

RCGP Research & Surveillance Centre Policy, Research and Campaigns Royal College of General Practitioners 30 Euston Square, London, NW1 2FB Tel: switchboard 020 3188 7400

Director: Professor Simon de Lusignan MedicalDirectorRSC@rcgp.org.uk



University of Oxford Nuffield Department of Primary Care Health Sciences Gibson Building Radcliffe Observatory Woodstock Road Oxford OX2 6GG

